Engineering progress Enhancing lives



# REHAU EDGE. REALLY FAST.

Compress 40% faster with no expansion needed.

EDGE"



CREHRU EDGE THE PARTY WAS A LIGHT THE DESCRIPTION OF THE PARTY OF THE



## **REHAU EDGE™**

## **INNOVATIVE TECHNOLOGY**



Insert



Compress



Done!

	Compression Sleeve	Crimp	<b>EDGE</b> ™
No expansion required			
No Gauge required	$\subseteq$	$\bigcirc$	$\square$
No over- or under- crimping	$\subseteq$	$\bigcirc$	$\square$
Rotatable dual jaws for battery tools	$\subseteq$	$\bigcirc$	$\square$
Fitting grips to the pipe before compression		$\bigcirc$	$\square$
Visual control of pipe insertion depth			$\subseteq$
Visual check of completed connection	$\subseteq$	$\bigcirc$	$\square$
Immediate pressure testing		$\subseteq$	$\square$
Leaks when uncompressed	$\bigcirc$	$\subseteq$	$\square$
25-year system warranty	$\subseteq$	$\subseteq$	$\subseteq$

## It's your EDGE™

## The EDGE of tomorrow

EDGE<sup>TM</sup> is a revolutionary new piping system that offers the safety of compression sleeve with the speed of crimp. EDGE<sup>TM</sup> is designed for security and speed without the need for expansion. EDGE<sup>TM</sup> is a comprehensive plumbing solution consisting of DZR brass fittings and solvent-resistant polymer sleeves and fittings, highly flexible PN16 PE-Xa pipe ranging from 16mm to 32mm for hot and cold, recycled and rainwater use.



Fitting stays in place after being inserted



No pipe expansion required



Visual control of pipe insertion via inspection windows



Visibly leaks when uncompressed



## Security without the steps

Developed in collaboration with installers and designers, EDGE<sup>TM</sup> is the next evolution in compression sleeve technology. REHAU EDGE<sup>TM</sup> is the perfect solution for plumbing professionals who value speed, security and a competitive edge for their installations.

## Advantages of **EDGE**™

- Fast to Install
- · Secure Compression Sleeve Joint without expansion
- Size Range 16 32mm
- Flexible and kink-resistant PE-Xa, SDR9, PN16 Pipe
- Brass and Lightweight Solvent Resistant Polymer Fittings
- Working Temp 70°C @ 800Kpa
- · 25 year warranty

#### Q. What adaptors are available to other systems?

**A.** EDGE to pressfit copper fittings are available. Adapting EDGE to other systems is possible via a threaded connection.

#### Q: What tools can be used?

**A:** RAUTOOL Alight-2, A3, E3 and Rothenberger Romax Axial tools with EDGE jaws are suitable battery tool options. RAUTOOL L1 with EDGE jaws is a manual tool option. Suitable EDGE jaws can be identified by their black colouring and EDGE markings.

#### Q. How can EDGE be differentiated from other systems?

**A.** EDGE pipes come in bright silver colour for hot and cold water, and in red, green and lilac. All pipes have EDGE markings in double line print running the length of the pipe to differentiate from other systems.

### Q. Can the fittings be rotated after installation

**A.** Yes, fittings can be rotated after installation without affecting the integrity of the joint.

SCAN HERE FOR MORE INFORMATION

