



Engineering progress
Enhancing lives

RAUTITAN Water, Gas and Heating

PRODUCT BOOK NEW ZEALAND



RAUTITAN - The new generation

Reliable. Versatile. Secure.

The RAUTITAN system has been developed in collaboration with our industry partners across the globe; installers, designers, builders and developers. A complete and comprehensive building technology solution for water, fire sprinkler, gas and hydronic heating services complemented by the RAUTOOL range; the RAUTITAN system is reliable, versatile and secure.



Quality

Developed in collaboration with designers, installers, builders and developers across the globe RAUTITAN represents the result of over 60 years experience in polymer processing and industrial manufacturing.

Produced in state-of-the-art manufacturing facilities with advanced quality management processes ensures that all system components combine seamlessly, delivering a reliable and robust system. RAUTITAN PXsr polymer fittings are produced using state-of-the-art robotics technology to guarantee optimum quality. All RAUTITAN fittings are 100% manufacturer pressure tested for unrivaled reliability.

As a global supplier of materials for a diverse range of industries REHAU understands what is required to get the job done.

Innovation

As a partner of the global construction industry for nearly 50 years, REHAU is dedicated to meeting industry challenges such as sustainability, efficiency and reliability. With significant investment in R&D, REHAU has delivered countless patents and innovations such as the RAUTITAN PXsr polymer fitting. The RAUTITAN PXsr range not only provides for an easier installation with the easy-slide reversible sleeve, but also provides improvements with regard to hygiene. We continue to invest and develop new materials, designs and technology to meet the future requirements of our industry.

Service

For more than 40 years REHAU has been supporting and servicing the Australia and New Zealand plumbing industry. Dedicated to ensuring our customers enjoy the best quality and service we are committed to having a qualified and local contact. With a team of qualified technical sales managers located across the region supported by our central design and engineering team in Sydney and local customer service.

The quality of any plumbing system is only as good as its design, installation and operation. REHAU training academies support precise and efficient use of the system.





**RAUTITAN water and gas services
16 - 63mm**

RAUTITAN WATER AND GAS SERVICES

16 - 63mm

RAUTITAN water service system was developed in collaboration with industry professionals in order to meet the needs of builders and the plumbing trade. Its quick and easy installation process has proven to be equally reliable. More importantly, savings can be made on time, labour and material costs.

The strength and flexibility of cross-linked high-density polyethylene (PE-Xa) pipes and PE-X/AL/PE composite pipes used together with a complete range of RAUTITAN Lead Free brass and RAUTITAN PX (polymer PPSU) fittings makes RAUTITAN a superior system that can be used in both residential and commercial applications.

Advantages

- Hot and cold water applications (PN20)
- Simple and fast installation
- Permanent leak-proof joint
- Inhibit corrosion and incrustation
- Colour differentiation between hot and cold water lines, recycled and rain water
- Suitable for concealed installation
- Joint integrity verified by visual inspection
- Reduces water hammer
- Maintenance free
- One sleeve - all applications

RAUTITAN is a comprehensive system for internal hot & cold water services, gas services and hydronic heating systems, including PE-Xa pipe, multi-layer (PEX-AL-PE) pipe, compression sleeve fitting system and a range of professional installation tools. The No.1 in New Zealand.

One Sleeve.

Easy-slide reversible sleeve for safe connections without leakage.

One Fitting – for easy, fast and secure connections.

If you use different pipe systems for water and gas installations, we recommend our RAUTITAN system. Now you can use one fitting and sleeve for both applications. Most convenient for your daily work.



RAUTITAN PX

Combining more than 60 years of world class expertise in polymer engineering and over 50 years of plumbing installations across the globe, REHAU is proud of the RAUTITAN next generation piping system - RAUTITAN PX: a revolutionary polymer fitting system.

RAUTITAN fittings are protected by Australian Design Registration No. 327395, 327396, 327397.

The RAUTITAN Water Services system is Easier, Faster and More Secure.

EASIER

REHAU's simple and secure compression sleeve joint is now even simpler. Forget about checking the sleeve end before making the joint and get the job done even quicker with the assurance that it is 100% secure.

FASTER

The RAUTITAN PX easy-slide reversible compression joint can be completed up to 20% faster and requires 30% less effort to make a joint. By reducing the compression force, we've extended the RAUTOOL battery life by up to 45%.

MORE SECURE

The advanced polymer materials of RAUTITAN PX have been engineered to the highest REHAU quality standards. Tough and durable, these fittings offer 100% corrosion protection and peace of mind against scrap-value theft.



Contents

Pipes	8
Fittings	11
Accessories	20
RAUTOOL	22

Pipes

PE-Xa



RAUTITAN platinum for drinking water



REHAU Article	Reece Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
132300-005	1450634	16 x 2.2	-	5	-	100
132300-100	1450635	16 x 2.2	100	-	100	-
132310-005	1450636	20 x 2.8	-	5	-	100
132310-100	1450637	20 x 2.8	100	-	100	-
132320-005	1450638	25 x 3.5	-	5	-	25
132320-050	1450656	25 x 3.5	50	-	50	-
132330-005	1450639	32 x 4.4	-	5	-	25
132330-050	1450657	32 x 4.4	50	-	50	-
132340-005	1450658	40 x 5.5	-	5	-	10
132350-005	1450659	50 x 6.9	-	5	-	5 / 25
132360-005	1450660	63 x 8.6	-	5	-	5 / 20

PE-Xa



RAUTITAN red for hot drinking water



REHAU Article	Reece Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
132520-005	1450651	16 x 2.2	-	5	-	100
132530-005	1450653	20 x 2.8	-	5	-	100
132540-005	1450655	25 x 3.5	-	5	-	25
132520-100	1450650	16 x 2.2	100	-	100	-
132530-100	1450652	20 x 2.8	100	-	100	-
132540-050	1450654	25 x 3.5	50	-	50	-

PE-Xa



RAUTITAN lilac for recycled water



REHAU Article	Reece Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
122200-050	1450006	16 x 2.2	50	-	50	-
122210-050	1450007	20 x 2.8	50	-	50	-
122220-050	1450507	25 x 3.5	50	-	50	-
122910-005	1450646	32 x 4.4	-	5	-	25
122920-005	1450647	40 x 5.5	-	5	-	10
122930-005	1450648	50 x 6.9	-	5	-	5

RAUTITAN green for rainwater

REHAU Article	Reece Code	Size	m/Coil	m/Length	Package (m) Coil	Straight Length
*104210-050	1450325	20 x 2.8	50	-	50	-

* Non-Standard pipe range - Please check with your Sales Office for availability.



Pipes



RAUTITAN platinum in conduit for drinking water

REHAU Article	Reece Code	Size	m/Coil	Package (m) Coil
132280-050	1450661	16 x 2.2	50	50
132290-050	1450662	20 x 2.8	50	50



Conduit only for RAUTITAN - black

REHAU Article	Reece Code	Size	m/Coil	OD (mm)	ID (mm)	Package (m) Coil
137160-025	1450495	25	25	35	28	25



RAUTITAN platinum pipe with 13 mm concentric insulation (silver) for drinking water

REHAU Article	Reece Code	Size	m/Coil	Package (m) Coil
132370-050	1450674	16 x 2.2	50	50
132380-050	1450675	20 x 2.8	50	50



Protective conduit (PE) for gas pipe protection

REHAU Article	Reece Code	Size	OD mm	ID mm	Package (m) Coil
180252-050	1450570	16	24	19	50
180262-050	4804020	20	28	23	50
180282-025	1450572	25/32	42	36	25

Fittings

RAUTITAN PX compression sleeve - polymer

REHAU Article	Reece Code	Size	Package Piece
160001	1450510	16	100
160002	1450511	20	100
160003	1450512	25	100
160004	1450513	32	50
160005	1450514	40	25



RAUTITAN compression sleeve - brass

REHAU Article	Reece Code	Size	Package Piece
139771	1450169	50	1/25
139781	1450186	63	1/25



RAUTITAN LEAD FREE connection barb - male - brass

Suitable for Australian copper pipe sizes in accordance with AS 1432.

REHAU Article	Reece Code	Size	OD DN	ID DN	Package Piece
371483	1456346	16	15	-	10 / 50
371484	1456347	20	20	-	10 / 50
371485	1456348	25	25	20	10 / 50
371486	1456349	32	32	25	3 / 30



OD of connection barb = copper type A or B. Copper pipe has to be expanded before brazing.

ID of connection barb = size of copper pipe to fit inside of connection barb for brazing.

Fittings



RAUTITAN PX no. 1 straight coupling - polymer

REHAU Article	Reece Code	Size	Package Piece/Box
160011	1450515	16	10 / 50
160012	1450516	20	10 / 50
160013	1450517	25	10 / 50
160014	1450518	32	10 / 30
160015	1450519	40	4



RAUTITAN LEAD FREE no. 1 Straight coupling - brass

REHAU Article	Reece Code	Size	Package Piece/Box
371431	1456292	16	10 / 50
371432	1456293	20	10 / 50
371433	1456294	25	10 / 50
371434	1456295	32	10 / 30
371435	1456315	40	4
371529	1456266	50	1
371530	1456274	63	1



RAUTITAN PX no. 1R reducing coupling - polymer

REHAU Article	Reece Code	Size	Package Piece/Box
160041	1450520	20 - 16	10 / 50
160042	1450521	25 - 16	10 / 50
160043	1450522	25 - 20	10 / 50
160044	1450523	32 - 25	10 / 30
160047	1450524	40 - 32	4



RAUTITAN LEAD FREE no. 1R reducing coupling - brass

REHAU Article	Reece Code	Size	Package Piece/Box
371436	1456296	20 - 16	10 / 50
371438	1456316	25 - 16	10 / 50
371437	1456297	25 - 20	10 / 50
371439	1456298	32 - 25	10 / 30
371440	1456317	40 - 32	5 / 25
371516	1456264	50 - 32	5 / 25
371514	1456263	50 - 40	1
371515	1456271	63 - 50	1

RAUTTAN LEAD FREE no. 2 straight connector - female thread - brass



REHAU Article	Reece Code	Size	Package Piece/Box
371467	1456329	16 - Rp $\frac{1}{2}$ " Fl	10 / 50
371468	1456330	20 - Rp $\frac{1}{2}$ " Fl	10 / 50
371469	1456331	20 - Rp $\frac{3}{4}$ " Fl	10 / 50
371470	1456332	25 - Rp $\frac{3}{4}$ " Fl	10 / 50
371471	1456333	25 - Rp1" Fl	10 / 50
371472	1456334	32 - Rp1" Fl	10 / 30



RAUTTAN LEAD FREE no. 3 straight connector - male thread - brass



REHAU Article	Reece Code	Size	Package Piece/Box
371457	1456319	16 - R $\frac{1}{2}$ " ML	10 / 50
371458	1456320	16 - R $\frac{3}{4}$ " ML	10 / 50
371459	1456321	20 - R $\frac{1}{2}$ " ML	10 / 50
371460	1456322	20 - R $\frac{3}{4}$ " ML	10 / 50
371461	1456323	20 - R1" ML	10 / 50
371462	1456324	25 - R $\frac{3}{4}$ " ML	10 / 50
371463	1456325	25 - R1" ML	10 / 50
371464	1456326	32 - R $\frac{3}{4}$ " ML	10 / 30
371465	1456327	32 - R1" ML	10 / 30
371466	1456328	40 - R1 $\frac{1}{4}$ " ML	5 / 25
371527	1456265	50 - R1 $\frac{1}{2}$ " ML	1
371528	1456273	63 - R2" ML	1



RAUTTAN PX no. 12 elbow 90°- polymer



REHAU Article	Reece Code	Size	Package Piece/Box
160021	1450525	16	10 / 50
160022	1450526	20	10 / 50
160023	1450527	25	10 / 50
160024	1450528	32	3 / 30
160025	1450529	40	2



RAUTTAN LEAD FREE no. 12 elbow 90°- brass



REHAU Article	Reece Code	Size	Package Piece/Box
371441	1456299	16	10 / 50
371442	1456300	20	10 / 50
371443	1456301	25	10 / 50
371444	1456302	32	3 / 30
371445	1456318	40	1
371531	1456267	50	1
371508	1456272	63	1



Fittings



RAUTITAN PX elbow 45° - polymer

REHAU Article	Reece Code	Size	Package Piece/Box
160055	1450530	40	2



RAUTITAN LEAD FREE no. 13 elbow 45° - male thread - brass

REHAU Article	Reece Code	Size	Package Piece/Box
371506	1456261	50	1
371507	1456268	63	1



RAUTITAN LEAD FREE no. 13 elbow - male thread - brass

REHAU Article	Reece Code	Size	Package Piece/Box
371473	1456335	16 - R $\frac{1}{2}$ " Ml	10 / 50
371474	1456336	20 - R $\frac{1}{2}$ " Ml	10 / 50
371475	1456337	20 - R $\frac{3}{4}$ " Ml	10 / 50
371477	1456339	25 - R $\frac{3}{4}$ " Ml	10 / 50
371476	1456338	25 - R1" Ml	10 / 50
371478	1456340	32 - R1" Ml	3 / 30



RAUTITAN LEAD FREE no. 14 elbow - female thread - brass

REHAU Article	Reece Code	Size	Package Piece/Box
371479	1456342	16 - Rp $\frac{1}{2}$ " Fl	10 / 50
371480	1456343	20 - Rp $\frac{3}{4}$ " Fl	10 / 50



RAUTITAN LEAD FREE no. 15 BP elbow - female thread - brass

REHAU Article	Reece Code	Size	Package Piece/Box
371500	1456358	16 - Rp $\frac{1}{2}$ " Fl	10 / 50
371501	1456359	20 - Rp $\frac{1}{2}$ " Fl	10 / 50
371503	1456360	20 - Rp $\frac{3}{4}$ " Fl	25 / 50
371504	1456361	25 - Rp1" Fl	10 / 50

RAUTITAN LEAD FREE no. 19 BP elbow - male parallel thread - brass



REHAU Article	Reece Code	Size	Thread Length	Package Piece/Box
371490	1456352	16 - G $\frac{1}{2}$ " B Ml ext. 65 mm	32mm	25 / 50
371491	1456353	16 - G $\frac{1}{2}$ " B Ml ext. 90 m	50mm	25 / 50
371492	1456354	16 - G $\frac{1}{2}$ " B Ml ext. 200 mm	140mm	10 / 30
371493	1456355	20 - G $\frac{1}{2}$ " B Ml ext. 95 mm	50mm	25 / 50
371494	1456356	20 - G $\frac{1}{2}$ " B Ml ext. 200 mm	140mm	10 / 30
371496	1456357	20 - G $\frac{3}{4}$ " B Ml ext. 95 mm	50mm	10 / 30
371497*	1456362	20-G $\frac{3}{4}$ " Ml ext. 200 mm	140mm	10




* Not suitable for Gas application

Gas Application:

Where no practical alternative is available, AS/NZS 5601.1 allows connections between a No. 19 BP with parallel thread to an internal (female) parallel thread. The installation must comply with AS/NZS 5601.1 Clause 4.4. Connection with No. 19 BP tapered thread shall be preferred.

RAUTITAN PX no. 24 T-piece - polymer

REHAU Article	Reece Code	d1	d2	d3	Piece(s)/Package
160031	1450531	16	16	16	10
160032	1450532	20	20	20	10
160033	1450533	25	25	25	10
160034	1450534	32	32	32	3
160035	1450535	40	40	40	1



Fittings



RAUTITAN LEAD FREE no. 24 T-piece - brass



REHAU Article	Reece Code	d1	d2	d3	Piece(s)/Package
371390	1456282	16	16	16	10
371391	1456283	20	20	20	10
371392	1456284	25	25	25	10
371393	1456303	32	32	32	3
371423	1456304	40	40	40	1
371509	1456262	50	50	50	1
371510	1456269	63	63	63	1



RAUTITAN PX no. 25 T-piece - reduced centre - polymer



REHAU Article	Reece Code	d1	d2	d3	Piece(s)/Package
160061	1450536	20	16	20	10
160062	1450537	25	16	25	10
160063	1450538	25	20	25	10
160064	1450539	32	16	32	3
160065	1450540	32	20	32	3
160066	1450541	32	25	32	3
160067	1450542	40	20	40	1
160068	1450543	40	25	40	1
160069	1450544	40	32	40	1



RAUTITAN LEAD FREE no. 25 T-piece - reduced centre - brass



REHAU Article	Reece Code	d1	d2	d3	Piece(s)/Package
371424	1456285	20	16	20	10
371425	1456286	25	16	25	10
371426	1456287	25	20	25	10
371427	1456288	32	20	32	10
371446	1456305	32	16	32	3
371447	1456306	32	25	32	3
371448	1456307	40	20	40	3
371449	1456308	40	25	40	3
371450	1456309	40	32	40	3
371512	1456280	50	25	50	1
371511	1456279	63	25	63	1
371513	1456270	63	32	63	1

RAUTITAN PX no. 26 T-piece - reduced end - polymer

REHAU Article	Reece Code	d1	d2	d3	Package Piece/Box
160071	1450545	20	20	16	10 / 50
160072	1450546	25	25	16	10 / 50
160073	1450547	25	25	20	10 / 50
160074	1450548	32	32	20	3 / 15
160075	1450549	32	32	25	3 / 15




RAUTITAN LEAD FREE no. 26 T-piece - reduced end - brass

REHAU Article	Reece Code	d1	d2	d3	Package Piece/Box
371428	1456289	20	20	16	10 / 50
371452	1456310	25	25	20	10 / 50



RAUTITAN PX no. 27 T-piece - reduced centre and end - polymer

REHAU Article	Reece Code	d1	d2	d3	Package Piece/Box
160081	1450550	20	16	16	10 / 50
160082	1450551	25	16	16	10 / 50
160085	1450554	25	20	20	10 / 50
160086	1450555	32	20	20	3 / 15
160091	1450558	32	25	25	3 / 15
160092	1450559	40	32	32	1



RAUTITAN LEAD FREE no. 27 T-piece - reduced centre and end - brass

REHAU Article	Reece Code	d1	d2	d3	Package Piece/Box
371429	1456290	20	16	16	10 / 50
371453	1456311	25	16	16	10 / 50
371430	1456291	25	20	20	10 / 50
371454	1456312	32	25	25	3 / 30



Fittings



RAUTITAN PX no. 27 T-piece - unequal reduced centre and end - polymer

REHAU Article	Reece Code	d1	d2	d3	Package Piece/Box
160083	1450552	25	16	20	10 / 50
160084	1450553	25	20	16	10 / 50
160087	1450556	32	20	25	3 / 15
160089*	1450557	32	25	20	3 / 15

*Non-Stocked item - Please check with your Sales Office for availability.



RAUTITAN PX no. 28 T-piece - reduced ends - polymer

REHAU Article	Reece Code	d1	d2	d3	Package Piece/Box
160101	1450560	16	20	16	10 / 50
160102	1450561	16	25	16	10 / 50
160103*	1450562	20	25	16	10 / 50
160104	1450563	20	25	20	10 / 50

*Non-Stocked article- Please check with your Sales Office for availability.



RAUTITAN LEAD FREE no. 28 T-piece - reduced ends - brass

REHAU Article	Reece Code	d1	d2	d3	Package Piece/Box
371455	1456313	16	20	16	10 / 50
371456	1456314	20	25	20	10 / 50



RAUTITAN LEAD FREE no. 61 stopper - brass

REHAU Article	Reece Code	Size	Package Piece/Box
371481	1456344	16	10 / 100
371482	1456345	20	10 / 90

RAUTITAN LEAD FREE no. 62 straight tap connector - brass



REHAU Article	Reece Code	Size	Package Piece/Box
371517	1456366	16 x G $\frac{1}{2}$ " FI Nut	25 / 50
371518	1456367	20 x G $\frac{3}{4}$ " FI Nut	25 / 50



Not suitable for gas application

RAUTITAN LEAD FREE no. 62 straight tap connector with gasket - brass



REHAU Article	Reece Code	Size	Package Piece/Box
371519	1456250	16 x G $\frac{1}{2}$ " FI Nut	10 / 50
371520	1456258	20 x G $\frac{1}{2}$ " FI Nut	10 / 50
371521	1456259	20 x G $\frac{3}{4}$ " FI Nut	10 / 50
371522	1456260	25 x G $\frac{3}{4}$ " FI Nut	10 / 50



Not suitable for gas application

RAUTITAN LEAD FREE no. 63 bent tap connector - brass



REHAU Article	Reece Code	Size	Package Piece/Box
371523	1456368	16 x G $\frac{1}{2}$ " FI Nut	25 / 100
371524	1456369	20 x G $\frac{3}{4}$ " FI Nut	25 / 100



Not suitable for gas application

RAUTITAN LEAD FREE hose plate



REHAU Article	Reece Code	Size	Package Piece/Box
371505	1451371	16 x Rp $\frac{1}{2}$ "	10 / 50



Not suitable for gas application

Accessories



Spring bend bracket 90° x 3D

REHAU Article	Reece Code	Size	Package Piece/Box
138881	1450020	16	10 / 100
138891	1450062	20	10 / 100
138351	1450631	25	10 / 50
261153	1450632	32	5 / 50



Profile bend bracket 90° x 5D

REHAU Article	Reece Code	Size	Package Piece/Box
258408	1450037	16	10 / 50
258798	1450077	20	10 / 50
257249	1450096	25	10 / 50



Pipe clip-on support channel *

REHAU Article	Reece Code	Size	m/length	Package (m) Pack
138043	1450058	20	3	30
138053	1450089	25	3	30
138063	1450122	32	3	30
138073	1450150	40	3	15
138083	1450165	50	3	15
138093	1450183	60	3	15

RAUTOOL



Expander tool QC (to suit expander heads 16 - 32 RO and QC)

REHAU Article	REECE Code	Description	Piece(s)/ Package
214176	1450289	Expander tool QC with Quick Change connection inclusive of cleaning brush and lubricant gel	1



RAUTOOL L1

REHAU Article	REECE Code	Description	Piece(s)/ Package
	1451194	RAUTOOL L1 Tool kit 16-25mm	1
Content of RAUTOOL L1 kit :			
131888-001	1440429	RAUTOOL L1 compression tool with 16/25mm jaws	1
214176-001	1450289	REHAU Expander tool QC 16/32mm	1
217468-001	1440418	Dual Expander head 16 x 2.2 / 20 x 2.8 QC (PE-Xa)	1
	7700259	Rothenberger Rocut pipe cutter 16-25	1
	1440434	Transport case*	1

* Tool transport case may vary in shape, size and colour



Rothenberger Axial Tool Kit

REECE Code	Description	Piece(s)/ Package
7701002	Rothenberger Axial RAUTITAN Tool Kit 16-20, battery operated	1
Content of Rothenberger Axial RAUTITAN Tool Kit 16-20		
	Compression tool inclusive of holding pins set, Li-ion battery (1 pc) and battery charger (1 pc)	1
	Compression jaws, hydraulic: 16/20	1
	Expander tool QC with cleaning brush and lubricant gel	1
	Dual expander head QC 16 x 2.2 / 20 x 2.8	1
	Pipe cutter 16-20 stabil	1
	Transport case*	1
	Operating instructions	1

* Tool transport case may vary in shape, size and colour

RAUTOOL G2 Kit

REHAU Article	REECE Code	Description	Piece(s)/ Package
315099	1450498	RAUTOOL G2 kit, electro hydraulic	1
Content of RAUTOOL G2 kit :			
		Compression tool inclusive of holding pins set, electric pump HMP 1 and hydraulic hose 4 m, Li-ion battery (1pc) and battery charger (1pc)	1
		Compression jaws, G2: 50	1
		Compression jaws, G2: 63	1
		Expander head G2 50 x 6.9	1
		Expander head G2 63 x 8.6	1
		Deburrer	1
		Pipe cutter 40 - 63	1
		Transport case*	1
		Operating instructions	1

* Tool transport case may vary in shape, size and colour



RAUTOOL A5

REHAU Article	REECE Code	Description	Piece(s)/ Package
317045-001	-	RAUTOOL A5 kit, battery operated	1
Content of RAUTOOL A5 tool set:			
	-	A5 tool	1
	1451015	18V 4 Ah battery	1
	-	battery charger	1
131558-001	-	Pipe cutter 40-63	1
	-	Transport case*	1
	-	Operating instructions	1

* Tool transport case may vary in shape, size and colour



Replacement batteries and charger

REHAU Article	REECE Code	Description	Piece(s)/ Package
203623	1451015	Replacement storage battery for G2/A5	1
203619	1451016	Replacement storage battery for A-Light2	1
204427	1451017	Quick charger for A-Light2 / G2	1



RAUTOOL

Pipe cutters



REHAU Article	REECE Code	Description / Size	Suits Pipe Type	Piece(s)/ Package
247474	1450350	Stabil Cutter 16-20	PE-Xa, PE-X/AL/PE	1
247464	1451011	Spare blade for 16 - 20 (article no. 247474)		1
138062	7700265	Cutter 16 - 40	PE-Xa, PE-X/AL/PE 25 - 40	1
138072	7700266	Spare blade for 16 - 40 (article no. 138062)		1
137495	1450273	Pipe cutters 16 - 25	PE-Xa, PE-X/AL/PE	1
131558	-	Cutter 40 - 63	PE-Xa, PE-X/AL/PE	1
131557	-	Spare blade for 40 - 63 (article no. 131558)		1

Compression Jaws



REHAU Article	REECE Code	Size	Suits RAUTOOL	Piece(s)/ Package
190896	-	16 / 20	L1 Tool	1
108863	-	25	L1 Tool	1
139361	1450288	16 / 20	R- Axial	1
257259	1450298	25 / 32	R- Axial	1
201801	1450584	40	R- Axial	1
201802	1450283	40	G2	1
137624	1451009	50	G2	1
137634	1451010	63	G2	1
317435	1451298	40	A5	1
317436	1451299	50	A5	1
317437	1451300	63	A5	1

Expander bits



REHAU Article	REECE Code	Size	Suits Pipe Type	Suits RAUTOOL	Piece(s)/ Package
244611	1450586	40 x 5.5	PE-Xa	R- Axial	1
247644	1450355	40 x 6.0	PE-X/AL/PE	R- Axial	1
001783	1440425	Universal 25 / 32 QC	PE-Xa, PE-X/AL/PE*	R- Axial	1

* Requires additional expander heads QC.

Expander heads - QC

REHAU Article	REECE Code	Size	Suits Pipe Type	Suits Expander Tool*	Piece(s)/ Package
217468	1440418	Dual 16 x 2.2 / 20 x 2.8	PE-Xa	L1, R- Axial	1
214172	1440419	25 x 3.5	PE-Xa	L1, R- Axial	1
214175	1440420	32 x 4.4	PE-Xa	L1, R- Axial	1
209224	1440421	16 x 2.6	PE-X/AL/PE	L1, R- Axial	1
209225	1440422	20 x 2.9	PE-X/AL/PE	L1, R- Axial	1
209226	1440423	25 x 3.7	PE-X/AL/PE	L1, R- Axial	1
209227	1440424	32 x 4.7	PE-X/AL/PE	L1, R- Axial	1
139881	1450293	40 x 5.5	PE-Xa	G2	1
139891	1450588	50 x 6.9	PE-Xa	G2	1
139901	1450589	63 x 8.6	PE-Xa	G2	1
001134	1451301	40	PE-Xa	A5	1
001135	1451302	50	PE-Xa	A5	1
001137	1451303	63	PE-Xa	A5	1



A-Light2 - Ball headed pin set

REHAU Article	REECE Code	Description	Piece(s)/ Package
244651	1451241	The suit Rothenberger Axial tools	2



REHAU Pty Ltd

National Customer Service Centre

Australia

Tel: 1300 768 033 • Fax: 1300 760 665

Email: sales.au@rehau.com

www.rehau.com.au

New Zealand

Tel: +64 9 272 2264

Email: sales.nz@rehau.com

www.rehau.co.nz



The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. Before using, the user will determine suitability of the information for user's intended use and shall assume all risk and liability in connection therewith.